

Tabellarische Übersicht zur Studienbewertung im Rahmen der Begutachtung der Systemische Therapie bei Erwachsenen

Studiennummer	Publikationsnummer	Autor(en)	Jahr	Titel	Quelle	Stichprobe	Einschluss der Studie/ Ablehnungsgrund (Katamnese)	Bewertung
Randomisierte kontrollierte Studien bei Erwachsenen								
1. Affektive Störungen (F3) (4 Studien)								
Depressive Störungen								
1.	4.	Friedman, A. S.	1975	Interaction of drug therapy with marital therapy in depressive patients.	Archives of General Psychiatry, 32, 619-637	Depression	NEIN Design	kein Beleg
2.	5.	Leff, J., Vearnals, S., Brewin, C. R., Wolff, G., Alexander, B., Asen, E., Dayson, D., Jones, E., Chisholm, D. & Everitt, B.	2000/ 2002	The London Depression Intervention Trial. Randomised controlled trial of antidepressants v. couple therapy in the treatment and maintenance of people with depression living with a partner: clinical outcome and costs.	British Journal of Psychiatry, 177, 95-100. (auf dt. : Familiendynamik 1, 2002, 104-121) & Corrigendum BJP, 177(3), 284	Depression (living with a critical partner)	JA	positiv
3.	6.	Knekt, P. & Lindfors, O. (Eds.)	2004	A randomized trial of the effect of four forms of psychotherapy on depressive and anxiety disorders: Design, methods, and results on the effectiveness of short-term psychodynamic psychotherapy and solution-focused therapy during a one-year follow-up.	Helsinki : Kela – The Social Insurance Institution, Finland (Studies in social security and health 77)	Depressive or Anxiety Disorders	JA (1-Jahres-follow-up)	positiv
4.	7.	Miller, I. W., Keitner, G. I., Ryan, C. E., Solomon, D. A., Cardemil, E. V. & Beevers, C. G.	2005	Treatment matching in the posthospital care of depressive patients.	American Journal of Psychiatry, 162(11), 2131-2138	Major Depression	JA	positiv
2. Angststörungen (F40-F42); Phobische Störungen (F40), andere Angststörungen (F41), Zwangsstörungen (F42) (keine Studien eingereicht)								
3. Belastungsstörungen (F43); Belastungsreaktionen, posttraumatische Belastungsstörungen, Anpassungsstörungen (keine Studien eingereicht)								

4. Dissoziative, Konversions- und somatoforme Störungen; dissoziative Störungen (F44), somatoforme Störungen (F45), Neurasthenie (F48) (keine Studien eingereicht)								
5. Essstörungen (F50) (3 Studien)								
5.	8.	Crisp, A. H., Norton, K., Gowers, S., Halek, C., Bowyer, C., Yeldham, D., Levett, G. & Bhat, A.	1991	A controlled study of the effect of therapies aimed at adolescent and family psychopathology in anorexia nervosa.	British Journal of Psychiatry, 159, 325-333	DSM-III-R Anorexia Nervosa	JA (1-Jahres-follow-up)	positiv
	9.	Gowers, S., Norton, K., Halek, C. & Crisp, A: H.	1994	Outcome of outpatient psychotherapy in a random allocation treatment study of anorexia nervosa.	International Journal of Eating Disorders, 15, 165-177	DSM-III-R Anorexia Nervosa	JA (2-Jahres-follow-up)	
6.	10.	Dare, C., Eisler, I., Russell, G., Treasure, J. & Dodge, L.	2001	Psychological therapies for adults with anorexia nervosa: Randomised-controlled trial of out-patient treatments.	British Journal of Psychiatry, 178, 216-221	Anorexia Nervosa	JA	positiv
7.	11.	Espina Eizaguirre, A., Ortego Saenz de Cabezón, M. A. & Ochoa de Alda Martínez de Appellaniz, I.	2000	Un ensayo controlado de intervenciones familiares en trastornos alimentarios (A controlled trial of family interventions in eating disorders).	Anales de Psicología, 16(8), 322-336	ED, DSM-IV	JA	positiv
6. Andere Verhaltensauffälligkeiten mit körperlichen Störungen (F5); nicht-organische Schlafstörungen (F51), nicht-organische sexuelle Funktionsstörungen (F52) (keine Studien eingereicht)								
7. Psychische und soziale Faktoren bei somatischen Krankheiten (F54) (4 Studien)								
8.	12.	Wirsching, M., Drings, P., Georg, W., Riehl, J. & Schmidt, P.	1989	Familien-System-Konsultation beim Bronchialkrebs.	System Familie 2, 65-81	Bronchialkrebs	NEIN Design	kein Beleg
9.	13.	Priebe, S. & Sinning, U.	2001	Effekte einer kurzen paartherapeutischen Intervention in der Koronarrehabilitation.	Psychotherapie, Psychosomatik & medizinische Psychologie, 51, 276-280	Koronare Herzkrankheit	JA (9-Monats-follow-up)	positiv
10.	14.	Szapocznik, J., Feaster, D. J., Mitrani, V., Prado, G., Smith, L., Robinson-Batista, C., Schwartz, S. J., Mauer, M. H. & Robbins, M. S.	2004	Structural ecosystems therapy for HIV-seropositive African American women: Effects on psychological distress, family hassles, and family support.	Journal of Consulting & Clinical Psychology, 72(2), 288-303	HIV-seropositive	JA (18-Monats-follow-up)	positiv

11.	15.	Cockburn, J. T., Thomas, F. N., Cockburn, O. J.	1997	Solution-focused therapy and psychosocial adjustment to orthopedic rehabilitation in a work hardening program.	Journal of Occupational Rehabilitation, 7, 97-106	Orthopedic patients	JA	positiv
8. Persönlichkeitsstörungen und Verhaltensstörungen (F6) (keine Studien eingereicht)								
9. Abhängigkeiten und Missbrauch (F1, F55) (7 Studien)								
Alkoholmissbrauch und -abhängigkeit								
12.	16.	McCrary, B. S., Paolino, T. F., Longabaugh, R. & Rossi, J.	1979	Effects of joint hospital admission and couples treatment for hospitalized alcoholics: A pilot study.	Addictive Behaviors, 4, 155-165	Alcohol Problems	JA	kein Beleg
	17.	McCrary, B. S., Moreau, J., Paolino, T. J. & Longabaugh, R.	1982	Joint hospitalization and couples therapy for alcoholism: A four-year follow-up.	Journal of Studies on Alcohol, 43, 1244-1250	Alcoholism	JA	
13.	18.	Bennun, I.	1988	Treating the system or symptom: Investigating family therapy for alcohol problems.	Behavioural Psychotherapy, 16(3), 165-176	Alcoholism	JA	kein Beleg
Heroinabhängigkeit								
14.	19.	Stanton, M. D. & Todd, T. C.	1982	Family therapy for drug abuse and addiction.	New York : Guilford. Chapter 17, pp 403-421	Drug Abuse & Addiction	JA (1-Jahres-follow-up)	positiv
	20.	Stanton, M. D., Steier, F. & Todd, T. C.	1982	Paying families for attending sessions: Counteracting the dropout problem.	Journal of Marital & Family Therapy, 8, 371-373	Drug Addiction	NEIN Design	
15.	21.	Romijn, C. M., Platt, J. J. & Schippers, G : M.	1990	Family Therapy for Dutch drug abusers: Replication of an American Study.	International Journal of the Addictions, 25, 1127-1149	Drug Abuse	JA	positiv
16.	22.	McLellan, A. :, Arndt, I., Metzger, D., Woody, G. & O'Brian, C.	1993	The effects of psychosocial services in substance abuse treatment.	Journal of the American Medical Association, 269(15), 1953-1959	Intravenous Opiate Use	NEIN Design	kein Beleg
	23.	Kraft, M. K., Rothbart, A. B., Hadley, T. R., McLellan, A. T. & Asch, D. A.	1997	Are supplementary services provided during methadone maintenance really cost-effective.	American Journal of Psychiatry, 154(9), 1214-1219	Opiate Use	NEIN Design	
17.	24.	Yandoli, D., Eisler, I., Robbins. C., Mulleady, G. & Dare, C.	2002	A comparative study of family therapy in the treatment of opiate users in a London drug clinic.	Journal of Family Therapy, 24(4), 402-422	Opiate Use	JA	positiv

Weitere illegale Drogenstörungen								
18.	25.	Ziegler, Driscoll, G.	1977	Family research study at Eagleville Hospital and Rehabilitation Center.	Family Process, 16, 175-190	Drug Abuse	NEIN Design	kein Beleg
X. Schizophrenie und wahnhafte Störungen (F2) (12 Studien)								
Schizophrenie								
19.	26.	Goldstein, M. J. , Rodnick, E. H. & Evans, J. R.	1978	Drug and family therapy in the aftercare of acute schizophrenia.	Archives of General Psychiatry, 35, 1169-1177	Schizophrenia	NEIN Design	kein Beleg
	27.	Goldstein, M. J. & Kopeiken, H. S.	1981	Short and long-term effects of combining drug and family therapy.	In : M. J. Goldstein (Ed.), New developments in interventions with families of schizophrenics (pp. 5-26). San Francisco : Jossey-Bass.	First- or Second- Admission Schizophrenia	NEIN Design	
20.	28.	Hogarty, G. E., Anderson, C., Reiss, D. et al.	1986	Family psychoeducation, social skills training, and maintenance chemotherapy in the aftercare treatment of schizophrenia: I. One-year effects of a controlled study on relapse and expressed emotion.	Archives of General Psychiatry, 43(7), 633-642	Schizophrenia	NEIN Design	kein Beleg
	29.	Hogarty, G. E., Anderson, C., Reiss, D., Kornblith, S., Greenwald, D., Ulrich, R. & Carter, M.	1991	Family psychoeducation, social skills training, and maintenance chemotherapy in the aftercare treatment of schizophrenia: II. Two year effects of a controlled study on relapse and adjustment.	Archives of General Psychiatry, 48(4), 340-347	Schizophrenia	NEIN Design	
21.	30.	Leff, J., Berkowitz, R., Shavit, N., Strachan, A., Glass, I. & Vaughn. C.	1989	A trial of family therapy vs. a relatives' group for schizophrenia.	British Journal of Psychiatry, 154, 58-66	Schizophrenia	NEIN Design	kein Beleg
	31.	Leff, J., Berkowitz, R., Shavit, N., Strachan, A., Glass, I. & Vaughn, C.	1990	A trial of family therapy vs. a relatives' group for schizophrenia: Two-year follow-up.	British Journal of Psychiatry, 157, 571-577	Schizophrenia	NEIN Design	
22.	32.	De Giacomo, P., Pierri, G., Santoni Rugiu, A., Buonsante, M., Vadruccio, F. & Zavoiani, L.	1997	Schizophrenia: A study comparing a family therapy group following a paradoxical model plus psychodugs and a group treated by the conventional clinical approach.	Acta Psychiatrica Scandinavica, 95(3), 183-188	Schizophrenia	JA	positiv

23.	Nachreichung vom 26.02.2008: N1	Bertrando, P., Cecchin, G., Clerici, M. et al.	2006	Expressed emotion and Milan systemic intervention: a pilot study on families of people with a diagnosis of schizophrenia	Journal of Family Therapy, 28, 81-102	Schizophrenia	NEIN Design	kein Beleg
24.	Nachreichung vom 26.02.2008: N2	Bressi, C., Manenti, S., Frongia, P. et al.	2008	Systemic Family Therapy in Schizophrenia: a randomized clinical trial of effectiveness	Psychotherapy and Psychosomatics, 77, 43-49	Schizophrenia	JA (2-Jahres-follow-up)	positiv
25.	Nachreichung vom 26.02.2008: N3	Eakes, G., Walsh, S., Markowski, M. et al.	1997	Family centred brief solution-focused therapy with chronic schizophrenia: a pilot study	Journal of Family Therapy, 19, 145-158	Schizophrenia	NEIN Design	kein Beleg
26.	Nachreichung vom 26.02.2008: N4	Lehtinen, K.	1993	Need-adapted treatment of schizophrenia: a five-year follow-up study from the Turku project	Acta Psychiatrica Scandinavica, 87, 96-101	Schizophrenia	JA	positiv
27.	Nachreichung vom 26.02.2008: N5	Seikkula, J., Aaltonen, J., Rasinkangas, A. et al.	2003	Open Dialogue approach: treatment principles and preliminary results of a two-year follow-up on first episode Schizophrenia	Ethical and Human Sciences, 5(3), 163-182	Schizophrenia	NEIN Design	kein Beleg
28.	Nachreichung vom 02.04.2008: N6	Espina, A., Gonzalez, P.	2003	Intervenciones familiares en la esquizofrenia. Cambios en la sintomatología y el ajuste social	Salud Mental	Schizophrenia	NEIN Design	kein Beleg
29.	Nachreichung vom 02.04.2008: N7	Cao, Y., Lu, A.	2007	The influence of systemic family therapy on the quality of life in schizophrenic patients	J. Clin. Psychol Med, 17(6), 403-404 (chinesisches Journal)	Schizophrenia	JA	positiv
30.	Nachreichung vom 02.04.2008: N8	Zhang, M., Yuan, G., Yao, J.	2006	A controlled treatment trail of systemic family therapy for schizophrenic patients	Chin. J. of Behavioral Med Sci, 15(8), 711-712	Schizophrenia	JA	kein Beleg

XI. Psychische und soziale Faktoren bei Intelligenzminderung (F 7) (keine Studien eingereicht)

XII. Hirnorganische Störungen (keine Studien eingereicht)

Gemischte Störungen (1 Studie)								
Psychiatrische Krisen								
32.	1.	Langsley, D. G., Pittman, F. S., Machotka, P. & Flomenhaft, K.	1968	Family Crisis Therapy – Results and implications.	Family Process, 7(2), 145-158	Diagnostisch heterogene psychiatrische Krisenaufnahmen	JA	positiv
	2.	Langsley, D: G., Flomenhaft, K. & Machotka, P.	1969	Follow-up evaluation of family crisis therapy.	American Journal of Orthopsychiatry, 39, 753-759	s. o.	JA	
	3.	Langsley, D. G., Machotka, P. & Flomenhaft, K.	1971	Avoiding mental hospital admission: A follow-up study.	American Journal of Psychiatry, 127(10), 127-130	s. o.	JA (18-Monats-follow-up)	
Übersicht 1: Eingereichte Metaanalysen								
Globale Wirksamkeit von Erwachsenen-Psychotherapie								
	33.	Grawe, K., Donati, R. & Bernauer, F.	1994	Psychotherapie im Wandel: Von der Konfession zur Profession.	Göttingen: Hogrefe			
Globale Wirksamkeit von Paar- und Familientherapie/ -beratung								
	34.	Shadish, W. R., Montgomery, L., Wilson, P., Wilson, M., Bright, I. & Okwumabua, T.	1993	The effects of Family and Marital Psychotherapies: A Meta-Analysis.	Journal of Consulting & Clinical Psychology, 61(6), 992-1002			
Wirksamkeit von Psychotherapie bei spezifischen Störungen: Schizophrene Störungen								
	35.	Pharoah, F. M., Rathbone, J., Mari, J. J. & Streiner, D.	2004	Family intervention for schizophrenia (Cochrane Review).	In: Cochrane Library, Issue 3. Chichester, UK: John Wiley & Sons, Ltd			
Wirksamkeit von Psychotherapie bei spezifischen Störungen: Substanzstörungen								
	36.	Stanton, M. & Shadish, W. R.	1997	Outcome, attrition and family-couples treatment for drug abuse: A meta-analysis and review of controlled comparative studies.	Psychological Bulletin, 122(2), 170-191			

Wirksamkeit von Psychotherapie bei spezifischen Störungen: Asthma				
37.	Panton, J. & Barley, E. A.	2004	Family therapy for asthma in children (Cochrane Review).	In : Cochrane Library, Issue 1. Chichester, UK : John Wilkey & Sons, Ltd.
Wirksamkeit spezifischer systemischer Interventionen: Paradoxe Interventionen				
38.	Shoham-Salomon, V. & Rosenthal, R.	1987	Paradoxical interventions: A meta-analysis.	Journal of Consulting & Clinical Psychology, 55(1), 22-28
Übersicht 2: Eingereichte Übersichtsartikel				
39.	Liddle, H. A., Rowe, C. L.	2004	Advances in family therapy research.	In: M. Nichols & R. Schwartz (Eds.), Family therapy: Concepts & methods (6th ed., pp 395-435). Boston, MA: Allyn & Bacon. In: Press.
40.	Rowe, C. L. & Liddle, H. A.	2003	Substance Abuse.	Journal of Marital & Family Therapy, 29(1), 97-120
41.	Sydow, K. v., Beher, S., Retzlaff, R. & Schweitzer-Rothers, J.	2006	Systemische Therapie bei Störungen des Erwachsenenalters: Eine Meta-Inhaltsanalyse von 26 randomisierten Primärstudien.	Psychotherapeut, 10, 2006, 1-25

Ablehnungsgründe:

Stichprobe = Behandelte Stichprobe mindestens teilweise ohne Störung mit Krankheitswert

Design = methodische Mindestanforderungen an das Untersuchungsdesign oder die statistische Methodik nicht erfüllt

Unzureichende Informationen = Die vorliegenden Information zur Studie reichen nicht aus, um die Qualität der Studie und dessen Ergebnisse adäquat bewerten zu können

Legende

Exp. VG = experimentelle Vergleichsgruppe (aktives Treatment)

TAU = Treatment as usual

Nachreichung (Nx) = Nachreichung von Studien bzw. Publikationen durch die Fachgesellschaften für Systemischen Therapie