

**Tabellarische Übersicht zur Studienbewertung im Rahmen der Begutachtung der Systemische Therapie bei Kindern und Jugendlichen**

Studien-nummer	Publika-tions-nummer	Autor(en)	Jahr	Titel	Quelle	Stichprobe	Einschluss der Studie/Publ. Ablehnungs-grund (Katamnese)	Bewertung
<b>1. Affektive Störungen (F30 - F39) und Belastungsstörungen (F43) (3 Studien)</b>								
<b>Depressive Störungen</b>								
<b>1.</b>	1.	Brent, D. A., Holder, D., Kolko, D., Birmaher, B., Baugher, M., Roth, C., Iyengar, S. & Johnson, B. A.	1997	A clinical psychotherapy trial for adolescent depression comparing cognitive, family, and supportive therapy.	Archives of General Psychiatry, 54(9), 877-885	Major Depressive Disorder	<b>JA</b>	<b>Positiv</b>
	2.	Brent, D. A., Kolko D., Birmaher, B., Baugher M., Bridge J., Roth, C. & Holder, D.	1998	Predictors of treatment efficacy in a clinical trial of three psychosocial treatments for adolescent depression.	Journal of the American Academy of Child & Adolescent Psychiatry, 37(9), 906-914	DSM-III-R Major Depression	<b>NEIN; nicht relevant</b>	
	Ergänzung Oktober 2008: E1	Renaud, J., Brent, D. A., Baugher, M., Birmaher, B., Kolko, D. J. & Bridge, J.	1998	Rapid response to psychosocial treatment for adolescent depression: A two year follow-up.	Journal of the American Academy of Child and Adolescent Psychiatry, 37(11), 1184-1190	Major Depressive Disorder	<b>JA</b>	
	Ergänzung Oktober 2008: E2	Brent, D. A., Kolko, D. J., Birmaher, B., Baugher, M. & Bridge, J.	1999	A clinical trail for adolescent depression: Predictors of additional treatment in the acute and follow-up phases of the trail.	Journal of the American Academy of Child and Adolescent Psychiatry, 38(3), 263-270	Major Depressive Disorder	<b>JA (2-Jahres-Katamnese)</b>	
	3.	Birmaher, B., Brent, D. A., Kolko, D., Baugher, M., Bridge, J., Holder, D., Iyengar, S. & Ulloa R. E.	2000	Clinical outcome after short-term psychotherapy for adolescents with major depressive disorder.	Archives of General Psychiatry, 57(1), 29-36	Major Depressive Disorder	<b>JA (2-Jahres-Katamnese)</b>	
	Ergänzung Oktober 2008: E3	Brent, D. A., Baugher, M., Birmaher, B., Kolko, D. J. & Bridge, J.	2000	Compliance with recommendations to remove firearms in families participating in a clinical trail for adolescent depression.	Journal of the American Academy of Child and Adolescent Psychiatry, 39(10), 1220-1226	Major Depressive Disorder	<b>JA</b>	
	4.	Kolko, D. J., Brent, D. A., Baugher, M., Bridge, J & Birmaher, B.	2000	Cognitive and family therapies for adolescent depression: Treatment specificity, mediation, and moderation.	Journal of Consulting & Clinical Psychology, 68(4), 603-614	Adolescent Depression	<b>NEIN</b>	
Ergänzung Oktober 2008: E4	Brent, D. A., Birmaher, B., Kolko, D. J., Baugher, M. & Bridge, J.	2001	Subsyndromal depression in adolescents after a brief psychotherapy trial: course and outcome.	Journal of Affective Disorders, 63(1-3), 51-58	Major Depressive Disorder	<b>JA</b>		

	Ergänzung Oktober 2008: E5	Stein, D., Brent, D. A., Bridge, J., Kolko, D. J., Birmaher, B & Baugher, M.	2001	Predictors of parent-rated credibility in a clinical psychotherapy trial for adolescent depression.	Journal of Psychotherapy Practice and Research, 10(1), 1- 7	Major Depressive Disorder	<b>JA</b>	
	Ergänzung Oktober 2008: E6	Gaynor, S. T., Weersing, V. R., Kolko, D. J., Birmaher, B., Heo, J. & Brent, D. A.	2003	The prevalence and impact of large sudden improvements during adolescent therapy for depression: a comparison across cognitive-behavioral, family, and supportive therapy.	Journal of Consulting and Clinical Psychology, 71(2), 386- 393	Major Depressive Disorder	<b>JA</b>	
	5.	Barbe, R. P., Bridge, J., Birmaher, B., Kolko, D. & Brent, D. A.	2004	Suicidality and its relationship to treatment outcome in depressed adolescents.	Suicide & Lifethreatening Behavior, 34(1), 44-55	Depressed Adolescents	<b>JA</b>	
	Ergänzung Oktober 2008: E7	Barbe, R. P., Bridge, J. A., Birmaher, B., Kolko, D. J. & Brent, D. A.	2004	Lifetime history of sexual abuse, clinical presentation, and outcome in a clinical trial for adolescent depression.	Journal of Clinical Psychiatry, 65(1), 77-83	Major Depressive Disorder	<b>NEIN</b>	
	Ergänzung Oktober 2008: E8	Bridge, J., Barbe, R. P., Birmaher, B., Kolko, D. J. & Brent, D. A.	2005	Emergent suicidality in a clinical psychotherapy trail for adolescent depression.	American Journal of Psychiatry, 162(11), 2173-2175	Major Depressive Disorder	<b>JA</b>	
<b>2.</b>	6.	Diamond, G. S., Reis, B., Diamond, G. M., Siqueland, L. & Isaacs, L.	2002	Attachment based family therapy for depressed adolescents: A treatment development study.	Journal of the American Academy of Child & Adolescent Psychiatry, 41, 1190-1196	Adolescents meeting DSM- III-R criteria for MDD	<b>JA</b>	<b>Positiv</b>
<b>3.</b>	Nach- reichung Mai 2007: N1	Trowell, J., Joffe, I. Campbell, J. et al.	2007	Childhood Depression: a place for psychotherapy: an outcome study comparing Individual Psychodynamic Psychotherapy and Family Therapy	Eur. Child Adolescent Psychiatry, 16(3), 157-167	MDD, Dysthymia (Kiddie-SADS) (auf DSM-IV- Kriterien basierend)	<b>JA</b>	<b>kein Beleg</b>
<b>2. Angststörungen (F40 - F42) und emotionale Störungen mit Beginn in der Kindheit und Jugend (F93) (keine Studien eingereicht)</b>								
<b>3. Dissoziative, Konversions- und somatoforme Störungen (F44 - F45) und andere neurotische Störungen (F48) (keine Studien eingereicht)</b>								
<b>4. Essstörungen (F50) und andere Verhaltensauffälligkeiten mit körperlichen Störungen (F5) (13 Studien)</b>								
<b>Essstörungen (F50)</b>								
<b>4.</b>	12.	Hall, A. & Crisp, A. H.	1987	Brief psychotherapy in the treatment of anorexia nervosa: Outcome at one year.	British Journal of Psychiatry, 151, 185-191	Severe Anorexia Nervosa	<b>JA</b>	<b>kein Beleg</b>

<b>5.</b>	13.	Russel, G. F. M., Szumukler, G. I., Dare, C. & Eisler, I.	1987	An evaluation of family therapy in anorexia nervosa and bulimia nervosa.	Archives of General Psychiatry, 44, 1047-1056	Anorexia Nervosa, Bulimia Nervosa	<b>JA (1-Jahres-Follow-up)</b>	<b>Positiv</b>
	15.	Dare, C., Eisler, I., Russel, G. F. M. & Szumukler, G. I.	1990	The clinical and theoretical impact of a controlled trial of family therapy in anorexia nervosa.	Journal of Marital & Family Therapy, 16(1), 39-57	Anorexia Nervosa	<b>NEIN</b>	
	14.	Eisler, I., Dare, C., Russel, G. F. M., Szumukler, G., Le Grange, D. & Dodge, E	1997	Family and individualtherapy in anorexia nervosa: A five-year follow-up.	Archives of General Psychiatry, 54(11), 1025-1030	Anorexia and Bulimia Nervosa	<b>JA (5-Jahres-Follow-up)</b>	
<b>6.</b>	16.	Le Grange, D., Eisler, I., Dare, C. & Russel, G. F. M.	1992	Evaluation of family therapy in anorexia nervosa: A pilot study.	International Journal of Eating Disorder, 12(4), 347-357	Anorexia Nervosa	<b>JA</b>	<b>kein Beleg</b>
<b>7.</b>	17.	Robin, A. L., Siegel, P. T., Koepke, T., Moye, A. & Tice, S.	1994	Family therapy versus individual therapy for adolescent females with anorexia nervosa.	Journal of Development & Behavioral Pediatrics, 15, 111-116	Anorexia Nervosa	<b>JA</b>	
	18.	Robin, A. L., Siegel, P. T. & Moye, A.	1995	Family versus individual therapy for anorexia: Impact on family conflict.	International Journal of Eating Disorders, 17, 313-322	Anorexia Nervosa	<b>JA</b>	<b>Positiv</b>
	19.	Robin, A. L., Siegel, P. T., Moye, A. W., Gilroy, M., Baker-Dennis, A. & Sikard, A.	1999	A controlled comparison of family versus individual therapy for adolescents with anorexia nervosa.	Journal of the American Academy of Child & Adolescent Psychiatry, 38, 1482-1489	Anorexia Nervosa	<b>JA (1-Jahres-Follow-up)</b>	
<b>8.</b>	20.	Eisler, I., Dare, C. Hodes, M., Russell, G., Dodge, E. & Le Grange, D.	2000	Family therapy for adolescent anorexia nervosa: The result of a controlled comparison of two family interventions.	Journal of Child Psychology & Psychiatry & Allied Disciplines, 41(6), 727-736	Anorexia Nervosa	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>9</b>	21.	Geist, R., Heinmaa, M., Stephens, D., Davis & Katzmann	2000	Comparison of family therapy and family group psychoeducation in adolescents with anorexia nervosa.	Canadian Journal of Psychiatry, 45(2), 173-178	Anorexia Nervosa	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>10.</b>	Nachreichung Oktober 2007: N2	Schmidt, U., Lee, S., Beecham, J. et al.	2007	A randomized controlled trail of family therapy and cognitive behavior therapy guided self-care for adolescents with bulimia nervosa and related disorders	American Journal of Psychiatry, 164, 591-598	Bulimia Nervosa	<b>JA</b>	<b>Positiv</b>
<b>11.</b>	Nachreichung Oktober 2007: N3	Le Grange, D., Crosby, R., Rathouz, P., Leventhal, B.	2007	A randomized controlled comparison of family-based treatment and supportive psychotherapy for adolescent bulimia nervosa	Archives of General Psychiatry, 64(9), 1049-1056	Bulimia Nervosa	<b>JA (6-Monats-follow-up)</b>	<b>Positiv</b>

<b>Psychische und soziale Faktoren bei somatischen Erkrankungen (F54)</b>								
<b>12.</b>	22.	Lask, B. & Matthew, D.	1979	Childhood asthma: A controlled trial of family psychotherapy.	Archives of Disease in Childhood, 54 (2), 116-119	Moderate to severe asthma	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>13.</b>	23.	Gustafsson, P. A., Kjellman, N.I.M. & Cederblad, M.	1986	Family therapy in the treatment of severe childhood asthma.	Journal of Psychosomatic Research, 30(3), 369-374	Severe, chronic bronchial asthma		<b>Studie nicht näher geprüft</b>
<b>14.</b>	26.	Flodmark, C. E., Ohlsson, T., Ryden, O. & Sveger, T.	1993	Prevention of progression to severe obesity in a group of obese schoolchildren treated with family therapy.	Pediatrics, 91(5), 880-884	Obesity	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>15.</b>	25.	Ryden, O., Nevander, L., Johnsson, P., Hansson, K., Kronvall, P., Sjoblad, S. & Westboom, L.	1994	Family therapy in poorly controlled juvenile IDDM: Effects on diabetic control, self evaluation and behavioural symptoms.	Acta Paediatrica, 83(3), 285-291	IDDM	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>16.</b>	24.	Onnis, L., Di Gennaro, A., Cespa, G., Dentale, R. C., Benedetti, P., Forato, F., Maurelli, F. M., Businco, L., Vazzoler, C., Bernardini, L. & Sera, F.	2001	Prevention of chronicity in psychosomatic illness: A systematic research study into the treatment of childhood asthma.	Families, Systems & Health, 19(3), 237-250	Asthma	<b>JA; (2-Jahres-Katamnese)</b>	<b>Positiv</b>
<b>5. Verhaltensstörungen (F90 - F92, F94, F98) mit Beginn in der Kindheit und Jugend und Tic-Störungen (F95), Hyperkinetische Störungen (F90), Störungen des Sozialverhaltens (F91), Kombinierte Störungen des Sozialverhaltens und der Emotionen (F92), Störungen sozialer Funktionen (F94), Tic-Störungen (F95), andere Verhaltensstörungen oder emotionale Störungen mit Beginn in der Kindheit und Jugend (F98) (10 Studien)</b>								
<b>Hyperkinetische Störungen (F90)</b>								
<b>17.</b>	27.	Barkley, R. A., Guevremont, D. C., Anastopoulos, A. & Fletcher, K. F.	1992	A comparison of three family therapy programs for treating family conflicts in adolescents with attention-deficit hyperactivity disorder.	Journal of Consulting & Clinical Psychology, 60(3), 450-462	ADHD	<b>JA</b>	<b>Positiv</b>
<b>18.</b>	28.	Saile, H. & Forse, I.	2002	Allgemeine und differentielle Effekte von behavioraler und systemischer Familientherapie bei Aufmerksamkeitsdefizit-/Hyperaktivitätsstörungen von Kindern.	Zeitschrift für Klinische Psychologie, Psychiatrie und Psychotherapie, 50(3), 281-299	Aufmerksamkeitsdefizit-/Hyperaktivitätsstörungen	<b>JA</b>	<b>Positiv</b>

<b>Dissoziale Störungen und jugendliche Delinquenz</b>								
<b>19.</b>	29.	Alexander, J. F. & Parsons, B. V.	1973	Short-term behavioral intervention with delinquent families: Impact on family process and recidivism.	Journal of Abnormal Psychology, 81(3), 219-225	Delinquent teenagers	<b>NEIN; Design</b>	
	30.	Parsons, B. V. & Alexander, J. F.	1973	Short-term family intervention: A therapy outcome study.	Journal of Consulting and Clinical Psychology, 41(2), 195-201	Delinquent teenagers	<b>NEIN; Design</b>	<b>kein Beleg</b>
	31.	Klein, N. C., Alexander, J. F. & Parsons, B.V.	1977	Impact of family systems intervention on recidivism and sibling delinquency: A model of primary prevention program evaluation.	Journal of Consulting & Clinical Psychology, 45(3), 469-474	Delinquent teenagers	<b>NEIN; Design</b>	
<b>20.</b>	34.	Borduin, C. M., Henggeler, S. W., Blaske, D. M. & Stein, R.	1990	Multisystemic treatment of adolescent sexual offenders.	International Journal of Offender Therapy and Comparative Criminology, 34(2), 105-113	Sexual offenders	<b>JA (3-Jahres- follow-up)</b>	<b>Positiv</b>
<b>21.</b>	35.	Mann, B. J., Borduin, C., Henggeler, S. W. & Blaske, D.	1990	An investigation of systemic conceptualisations of parent-child coalitions and symptom change.	Journal of Consulting & Clinical Psychology, 58(3), 336-344	Delinquent adolescents	<b>JA</b>	<b>Positiv</b>
<b>22.</b>	39.	Henggeler, S. W., Melton, G. B. & Smith, L. A.	1992	Family preservation using multisystemic therapy: An effective alternative to incarcerating serious juvenile offenders.	Journal of Consulting & Clinical Psychology, 60(6), 953-961	Serious juvenile offenders		<b>Studie nicht näher geprüft</b>
	40.	Henggeler, S. W., Melton, G.B., Smith, L. A., Schoenwald, S. & Hanley, J.	1993	Family preservation using multisystemic therapy: Long-term follow-up to a clinical trial with serious juvenile offenders.	Journal of Child and Family Studies, 2, 283-293	Serious juvenile offenders		
<b>23.</b>	38.	Borduin, C. M., Mann, B. J., Cone, L. T., Henggeler, S. W., Fucci, B. R., Blaske, D. M., Williams, R. A.	1995	Multisystemic treatment of serious juvenile offenders: Long-term prevention of criminality and violence.	Journal of Consulting & Clinical Psychology, 63, 569-578	Criminal behavior, Violent offending	<b>JA; (4-Jahres- follow-up)</b>	<b>Positiv</b>
<b>24.</b>	42.	Henggeler, S. W., Melton, G. B., Brondino, M. J., Scherer, D. G. & Hanley, J. H.	1997	Multisystemic therapy with violent and chronic juvenile offenders and their families: The role of treatment fidelity in successful termination.	Journal of Consulting and Clinical Psychology, 65(5), 821-833	Violent and chronic juvenile offenders		<b>Studie nicht näher geprüft</b>

<b>25.</b>	49.	Santisteban, D. A., Szapocznik, J., Perez-Vidal, A., Kurtines, W., Murray, E. & LaPerriere, A.	1996	Efficacy of interventions for engaging youth and families into treatment and some variables that may contribute to differential effectiveness.	Journal of Family Psychology, 10, 35-44	Drug abuse	<b>NEIN; Design</b>	<b>Studie nicht näher geprüft</b>
	48.	Santisteban, D. A., Coatsworth, J. D., Perez-Vidal, A., Kurtines, M. W., Schwartz, S. J., LaPerriere, A. & Szapocznik, J.	2003	Efficacy of brief strategic family therapy in modifying Hispanic adolescent behavior problems and substance use.	Journal of Family Psychology, 17(1), 121-133	Behavior Problem and Drug-using Youth		
<b>26.</b>	Nachreichung vom 25.02.2008: N12	Painter, K. R.	2007	Multisystemic therapy as an alternative community-based treatment for youth with severe emotional disturbance	Dissertation, University of Texas at Arlington	Externalisierende Störungen	<b>JA</b>	<b>Positiv</b>
<b>6. Autistische Störungen (F84) (keine Studien eingereicht)</b>								
<b>7. Persönlichkeitsstörungen und Verhaltensstörungen (F60, F62, F68-F69), Störungen der Impulskontrolle (F63), Störungen der Geschlechtsidentität und Sexualstörungen (F64-F66), Abhängigkeit und Missbrauch (F1, F55), Schizophrenie und wahnhaftige Störungen (F20-F29) (13 Studien)</b>								
<b>27.</b>	52.	Szapocznik, J., Kurtines, W. M., Foote, F. H., Perez-Vidal, A. & Hervis, O.	1983	Conjoint versus one-person family therapy: Some evidence for the effectiveness of conducting family therapy through one person.	Journal of Consulting & Clinical Psychology, 51 (6), 889-899	Drug abuse	<b>NEIN; Design</b>	<b>kein Beleg</b>
	53.	Szapocznik, J., Kurtines, W. M., Foote, F. H., Perez-Vidal, A. & Hervis, O.	1986	Conjoint versus one-person family therapy: Further evidence for the effectiveness of conducting family therapy through one person with drug-abusing adolescents.	Journal of Consulting & Clinical Psychology, 54(3), 395-397	Drug abuse	<b>s.o.</b>	
<b>28.</b>	54.	Szapocznik, J., Perez-Vidal, A., Brickman, A. L., Foote, F. H., Santisteban, D., Hervis, O. & Kurtines, W.	1988	Engaging adolescent drug abusers and their families in treatment: a strategic-structural systems approach.	Journal of Consulting & Clinical Psychology, 56(4), 552-557	Drug abuse	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>29.</b>	55.	Friedman, A. S.	1989	Family therapy vs. Parent groups: Effect on adolescent drug abusers.	American Journal of Family Psychology, 8, 335-347	Drug abuse	<b>JA</b>	<b>kein Beleg</b>

<b>30.</b>	56.	Lewis, R. A., Sprenkle, D. H. & Trepper, T. S.	1990	Family-based interventions and community networking for helping drug-abusing adolescents.	Journal of Adolescent Research, 5, 82-95	Drug abuse	<b>NEIN; Design/ Stichprobe</b>	<b>kein Beleg</b>
<b>32.</b>	58.	Henggeler, S. W., Borduin, C. M., Melton, G., Mann, B., Smith, L., Hall, J., Cone, L. & Fucci, B.	1991	Effects of multisystemic therapy on drug use and abuse in serious juvenile offenders: A progress report from two outcome studies.	Family Dynamics of Addiction Quarterly, 1(3), 40-51	Antisocial Behavior of Serious Juvenile Offenders	<b>Studie II der Publikation (FANS-Project) JA</b>	<b>Positiv</b>
<b>33.</b>	59.	Joanning, H., Quinn, W., Thomas, F. & Mullen, R.	1992	Treating adolescent drug abuse: A comparison of family systems therapy, group therapy, and family drug education.	Journal of Marital & Family Therapy, 18, 345-356	Drug abuse	<b>NEIN, Stichprobe</b>	<b>kein Beleg</b>
<b>31.</b>	57.	Trepper, M. D., Piercy, F., Lewis, R., Volk, R. & Sprenkle, D.	1993	Family therapy for adolescent alcohol abuse.	In T. J. O'Farrel (Ed.), Treating alcohol problems: Marital and family interventions (pp. 261-278). New York : Guilford.	Alcohol abuse	<b>NEIN; keine empirische Studie</b>	<b>kein Beleg</b>
<b>34.</b>	60.	Liddle, H. A., Dakof, G. A., Parker, K., Diamond, G. S., Barret, K. & Tejada, M.	2001	Multidimensional family therapy for adolescent drug abuse: Results of a randomized clinical trial.	American Journal of Drug & Alcohol Abuse, 27(4), 651-688	Marijuana- and alcohol abuse	<b>JA (1-Jahres-follow-up)</b>	<b>Positiv</b>
<b>35.</b>	61.	Waldron, H. B., Slesnik, N., Brody, J. L., Turner, C. W. & Peterson, T. R.	2001	Treatment outcomes for adolescent substance abuse at 4- and 7-month assessments.	Journal of Consulting & Clinical Psychology 69(5), 802-813	Substance abuse		<b>Studie nicht näher geprüft</b>
<b>36.</b>	62.	Dennis, M., Titus, J., Diamond, G. S. et al.	2002	The Cannabis Youth Treatment (CYT) Experiment: Rationale, study design and analysis plans.	Addiction, 97, 16-34 Suppl 1	Marijuana dependence or abuse		<b>Studie nicht näher geprüft</b>
	63.	French, M. T., Roebuck, M. C., Dennis, M. L., Godley, S. H., Liddle, H. A. & Tims, F. M.	2003	Outpatient marijuana treatment for adolescents: Economic evaluation of a multisite field experiment.	Evaluation Review, 27(4), 421-459	Marijuana dependence or abuse		
	64.	Dennis, M., Godley, S. H., Diamond, G., Tims, F. M., Babor, T., Donaldson, J., Liddle, H., Titus, J.C., Kaminer, Y., Webb, C., Hamilton, N. & Funk, R.	2004	The Cannabis Youth Treatment (CYT) Study: Main findings from two randomized trials.	Journal of Substance Abuse Treatment, 27(3), 197-213	Cannabis use		

37.	66.	Liddle, H. A., Rowe, C. L., Dakof, G. A., Ungaro, R. A. & Henderson, C. E.	2004	Early intervention for adolescent substance abuse: Pretreatment to posttreatment outcomes of a randomized clinical trial comparing multidimensional family therapy and peer group treatment.	Journal of Psychoactive Drugs, 36(1), 49-63	Substance abuse, Behavioral problems	JA	Positiv
	Nachreichung Oktober 2007: N5	Liddle, H. A., Rowe, C. L. Dakof, G. A. Turner, R. M. Henderson, C. E. Greenbaum, P. E.	eingereicht	Multidimensional family therapy for young adolescent substance abuse: Twelve month outcomes of a randomized controlled trial.	Manuskript eingereicht beim JCCP am 14.9.2007	Drug abuse	JA (1-Jahres-follow-up)	
38.	67.	Rowe, C. L., Liddle, H. A., Greenbaum et. al.	2004	Impact of psychiatric comorbidity on treatment of adolescent drug abusers.	Journal of Substance Abuse & Treatment, 26(2), 129-140	Drug- abuse	NEIN, Design	kein Beleg
39.	65.	Liddle, H. A.	2002a	Advances in family-based therapy for adolescent substance abuse: Findings from the Multidimensional Family Therapy research program.	In L. S. Harris (Ed.), Problems of Drug Dependence 2001 : Proceedings of the 63rd Annual Scientific Meeting (NIDA Research Monograph No. 182, NIH Publication No. 02-5097, pp. 113-115). Bethesda, MD : National Institute on Drug Abuse	Drug abuse		Studie nicht näher geprüft
	Nachreichung Oktober 2007: N4	Liddle, H. A., Dakof, G. A. Turner, R. M. Henderson, C. E. Greenbaum, P. E.	2008	Treating adolescent drug abuse: a randomized trial comparing multidimensional family therapy and cognitive behavior therapy.	Addiction, 103(10), 1660-1670	Drug abuse		
<b>8. Intelligenzminderung (F7), hirnorganische Störungen (F0) und Entwicklungsstörungen (F80 - F83, sowie F88 und F89)</b> <b>(keine Studien eingereicht)</b>								
<b>Studien zu gemischten Störungen (mixed neurotics) (13 Studien)</b>								
44.	Nachreichung vom 25.02.2008: N6	Garrigan & Bamberick,	1975	Short term family therapy with emotionally disturbed children.	Journal of marriage and family counselling, 1, 379-385	Emotionally disturbed children	NEIN; Stichprobe	kein Beleg

<b>45.</b>	Nachreichung vom 25.02.2008: N7	Garrigan & Bamberick,	1977	Family therapy for disturbed children: Some experimental results in special education.	Journal of marriage and family counselling, 3, 83-93	Emotionally disturbed children	<b>JA</b>	<b>Positiv</b>
<b>46.</b>	Nachreichung vom 25.02.2008: N8	Hardcastle	1977	A mother-child, multiple-family, counseling program: Procedures and results.	Family Process, 16, 67-74.	Schüler mit Verhaltens- und Einstellungsproblemen in der Schule	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>47.</b>	Nachreichung vom 25.02.2008: N9	Ro-Trock, G. K., Wellisch, D. K. & Schoolar, J. C.	1977	A family therapy outcome study in an inpatient setting.	American Journal of Orthopsychiatry, 47(3), 514-522.	Hospitalized adolescent patients of a mental health services unit	<b>JA</b>	<b>Positiv</b>
	Nachreichung vom 25.02.2008: N10	Wellisch et al.	1980	A Three-Year Follow-Up of Family Therapy.	International Journal of Family Therapy, 2 (3) 169-175	Hospitalized adolescent patients of a mental health services unit	<b>JA</b>	
<b>50.</b>	32.	Szykula, S. A., Morris, S. B., Sudweeks, C. & Sayger, T. V.	1987	Child-focused behaviour and strategic therapies: outcome comparisons.	Psychotherapy, 24(3 Suppl.), 546-551	Behavioral and Emotional Problems	<b>NEIN; Design</b>	<b>kein Beleg</b>
<b>40.</b>	33.	Szapocznik, J., Rio, A., Murray, E., Cohen, R., Scopetta, M., Rivas-Valquez, A., Hervis, O. & Posada, V.	1989	Structural family versus psychodynamic child therapy for problematic Hispanic boys.	Journal of Consulting and Clinical Psychology, 57(5), 571-578	Behavioral and Emotional Problems	<b>JA</b>	<b>Positiv</b>
<b>41.</b>	36.	Simpson, L.	1990	The comparative efficacy of Milan family therapy for disturbed children and their families.	Journal of Family Therapy, 13, 267-284	Outpatients of a department of child and family psychiatry	<b>JA</b>	<b>kein Beleg</b>

<b>52.</b>	43.	Henggeler, S. W., Pickrel, S. G., Brondino, M. J. & Crouch, J. L.,	1996	Elimination (almost) treatment dropout of substance abusing or dependent delinquents through home-based multisystemic therapy.	American Journal of Psychiatry, 153, 427-428	Delinquents who met criteria for substance abuse or dependence	<b>JA</b>	<b>Positiv</b>
	44.	Schoenwald, S. K., Ward, D. M., Henggeler, S. W., Pickrel, S. G. & Patel, H.	1996	Multisystemic therapy treatment of substance abusing or dependent adolescent offenders: Costs of reducing incarceration, inpatient, and residential placement.	Journal of Child & Family Studies	Substance-abusing or dependent juvenile offenders	<b>JA</b>	
	45.	Henggeler, S. W., Pickrel, S. G. & Brondino, M. J.	1999	Multisystemic treatment of substance-abusing and –dependent delinquents: Outcomes, treatment fidelity, and transportability.	Mental Health Services Research, 1(3), 171-184	Juvenile Offenders meeting DSM-III-R criteria for Substance Abuse or Dependence	<b>JA</b>	
	46.	Brown, T., Henggeler, S. W., Schoenwald, S., Brondino, M. J. & Pickrel, S. G.	1999	Multisystemic treatment of substance-abusing and –dependent delinquents: Effects on school attendance at post-treatment and 6-month-follow-up.	Children´s Services: Social Policy, Research & Practice, 2(29), 81-93	Juvenile Offenders	<b>JA</b>	
	41.	Huey, S. J., Henggeler, S. W., Brondino, M. J. & Prickel, S. G.	2000	Mechanisms of change in Multisystemic Therapy: Reducing delinquent behaviour through therapist adherence and improved family and peer functioning.	Journal of Consulting and Clinical Psychology, 68(3), 451-467	Serious Juvenile Offenders	<b>JA</b>	
	47.	Henggeler, S. W., Clingempeel, W.G., Brondino, M. J. & Pickrel, S. G.	2002	Four-year follow-up of multisystemic therapy with substance-abusing and substance-dependent juvenile offenders.	Journal of the American Academy of Child & Adolescent Psychiatry, 41(7), 868-874	Substance-abusing Juvenile Offenders	<b>JA</b>	

<b>51.</b>	7.	Henggeler, S. W., Rowland, M. D., Randall, J., Ward, D. M., Pickrel, S. G., Cunningham, P. B., Miller, S. L., Edwards, J., Zealberg, J., Hand, L. D. & Santos, A. B.	1999	Home-based multisystemic therapy as an alternative to the hospitalisation of youths in psychiatric crisis: clinical outcomes.	Journal of the American Academy of Child & Adolescent Psychiatry, 38(11), 1331-1339	Children and adolescents approved for emergency psychiatric hospitalization	<b>JA</b>	
	8.	Schoenwald, S. K., Ward, D. M., Henggeler, S. W. & Rowland, M.	2000	Multisystemic therapy versus hospitalization for crisis stabilisation of youth: Placement outcomes 4 months post-referral.	Mental Health Service Research, 2, 3-12	Children and adolescents approved for emergency psychiatric hospitalization	<b>NEIN; Design</b>	
	9.	Henggeler, S. W., Rowland, M. D., Halliday-Boykins, C., Sheidow, A. J., Ward, D. M., Randall, J., Pickrel, S. G., Cunningham, P. B. & Edwards, J.	2003	One-year follow-up of multisystemic therapy as an alternative to the hospitalisation of youths in psychiatric crisis.	Journal of the American Academy of Child & Adolescent Psychiatry, 42(5), 543-551	Children and adolescents approved for emergency psychiatric hospitalization	<b>JA (1-Jahres-Follow-up)</b>	<b>Positiv</b>
	10.	Huey, S. J., Henggeler, S. W., Rowland, M. D., Halliday-Boykins, C. A., Cunningham, P. B., Pickrel, S. G. & Edwards, J.	2004	Multisystemic therapy effects on attempted suicide by youths presenting psychiatric emergencies.	Journal of the American Academy of Child & Adolescent Psychiatry, 43(2). 183-190	Youths presenting psychiatric emergencies	<b>JA (1-Jahres-Follow-up)</b>	
	11.	Sheidow, A. J., Bradford, W. D., Henggeler, S. W., Rowland, M. D., Halliday-Boykins, C., Schoenwald, S. K. & Ward, D. M.	2004	Treatment costs for youths receiving Multisystemic Therapy or hospitalisation after a psychiatric crisis.	Psychiatric Services, 55, 548-554	Children and adolescents approved for emergency psychiatric hospitalization	<b>NEIN Design</b>	
<b>42.</b>	50.	Coatsworth, J. D., Santisteban, D. A., McBride, C. K. & Szapocznik, J.	2001	Brief strategic family therapy versus community: Engagement, retention and an exploration of the moderating role of adolescent symptom severity.	Family Process, 40, 313-332	Adolescents with externalizing, internalizing, academic or substance problems	<b>NEIN, Design</b>	<b>kein Beleg</b>
<b>43.</b>	51.	Ogden, T. & Halliday-Boykins, C. A.	2004	Multisystemic Treatment of Antisocial Adolescents in Norway: Replication of Clinical Outcomes Outside of the US.	Child & Adolescent Mental Health, 9(2), 77-83	Seriously Antisocial Youths	<b>JA</b>	<b>Positiv</b>
<b>48.</b>	Nachreichung vom 25.02.2008	Rowland, M. D., Halliday-Boykins, C. A., Cunningham, P. B., Lee, G. L., Kruesi, M. J. P. & Shapiro, S. B.	2005	A randomized trial of multisystemic therapy with Hawaii's Felix Class youths.	Journal of Emotional and Behavioral Disorders, 13(1), 13-23.	Emotionale Störung nach DSM IV	<b>JA</b>	<b>Positiv</b>

<b>49.</b>	Nachreichung vom 25.02.2008: N11	Nickel, Luley, Krawczyk et al.	2007	Bullying girls – Changes after Brief Strategic Family Therapy	Psychotherapy and Psychosomatics, 75: 47 – 55	Bullying girls	<b>JA</b>	<b>Positiv</b>
<b>Weitere klinisch bedeutsame Syndrome (1 Studie)</b>								
<b>Körperliche Misshandlung / Vernachlässigung von Kindern durch ihre Eltern</b>								
<b>53.</b>	68.	Brunk, M., Henggeler, S. W. & Whelan, J. P.	1987	A comparison of multisystemic therapy and parent training in the brief treatment of child abuse and neglect.	Journal of Consulting & Clinical Psychology, 55(2), 171-178	Child Abuse, Child Neglect	<b>NEIN, Stichprobe</b>	<b>kein Beleg</b>
<b>Studien zu Kosten-Nutzen-Analysen (2 Studien)</b>								
<b>54.</b>	69.	Law, D. D. & Crane, D. R.	2000	The influence of marital and family therapy on health care utilization in a health maintenance organization.	Journal of Marital & Family Therapy 26(3), 281-291		<b>NEIN, Design</b>	<b>kein Beleg</b>
<b>55.</b>	70.	Law, D. D. & Crane, D. R. & Berge, J. M.	2003	The influence of individual, marital and family therapy on high users of health care.	Journal of Marital & Family Therapy 29(2), 353-362		<b>NEIN, Design</b>	<b>kein Beleg</b>
<b>Meta-Analysen und Systematische Übersichtsarbeiten</b>								
	71.	Curtis, N. M., Ronan, K. R. & Borduin, C. M.	2004	Multisystemic Treatment: A meta-analysis of outcome studies.	Journal of Family Psychology, 18(3), 411-419			
	72.	Sydow, K. v., Beher, S., Schweitzer-Rothers, J. & Retzlaff, R.	2006	Systemische Therapie bei Störungen des Kindes- und Jugendalters: Eine Metainhaltsanalyse von 47 randomisierten Primärstudien.	Psychotherapeut, 51, 107-143			

**Ablehnungsgründe:**

**Stichprobe** = Behandelte Stichprobe mindestens teilweise ohne Störung mit Krankheitswert

**Design** = methodische Mindestanforderungen an das Untersuchungsdesign oder die statistische Methodik nicht erfüllt

**Unzureichende Informationen** = Die vorliegenden Information zur Studie reichen nicht aus, um die Qualität der Studie und dessen Ergebnisse adäquat bewerten zu können

**Legende**

**Exp. VG** = experimentelle Vergleichsgruppe (aktives Treatment)

**TAU** = Treatment as usual

**Studie nicht näher geprüft** = Studie wurde nicht näher geprüft, da für diesen Anwendungsbereich bereits genügend positiv bewertete Studien vorlagen.  
Aus der Studie ergibt sich kein Hinweis auf negative Wirkungen

**Nachreichung (Nx)** = Nachreichung von Studien bzw. Publikationen durch die Fachgesellschaften für Systemischen Therapie

**Ergänzung (Ex)** = Ergänzung von Studien bzw. Publikationen durch den Wissenschaftlichen Beirat Psychotherapie